Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 5	3235	power near2 off near10 mode\$2 and display	US-PGPUB; USPAT	OR	OFF	2006/05/08 11:52
S10 6	956	power near2 off near10 mode\$2 same display	US-PGPUB; USPAT	OR	OFF	2006/05/08 11:52
S10 7	634	power near2 off near10 mode\$2 same display and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/05/08 11:52
S10 8	21	power near2 off near10 mode\$2 same display and (LCD "liquid crystal") and reset near6 mode and interrupt near10 mode	US-PGPUB; USPAT	OR	OFF	2006/05/08 11:56
S10 9	1251	power near3 fail\$4 and power near3 off and display and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/05/08 11:56
S11 0	88	power near3 fail\$4 same mode and power near3 off same mode and display and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/05/08 12:22
S11 1	78	power near3 loss same mode and power near3 off same mode and display and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/05/08 12:30
S11 2	53	power near2 down near5 modes and power adj (failure loss) and switch adj (off)	US-PGPUB; USPAT	OR	OFF	2006/05/08 12:31
S11 3	52	power near2 down near5 modes and power adj (failure loss) and switch adj (off) and display	US-PGPUB; USPAT	OR	OFF	2006/05/08 12:31
S11 4	23	power near2 down near5 modes and power adj (failure loss) and switch adj (off) and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/05/08 12:32
S11 5	63	power near6 modes and power adj (failure loss) and switch adj (off) and (LCD "liquid crystal")	US-PGPUB; USPAT	OR	OFF	2006/05/08 12:40
S11 6	63	power near6 modes and power adj (failure loss) and switch adj (off) and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 12:40
S11 7	7	power adj (failure loss) near6 mode and power adj off near6 mode and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 12:41

S11 8	658	713/340.ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/08 14:54
S11 9	189	713/340.ccls. and modes	US-PGPUB; USPAT	OR	OFF	2006/05/08 14:55
S12 0	423	713/340.ccls. and mode	US-PGPUB; USPAT	OR	OFF	2006/05/08 14:54
S12 1	124	713/340.ccls. and modes and display	US-PGPUB; USPAT	OR	OFF	2006/05/08 14:55
S12 2	10	("5475271" "5481732" "5483656" "5514859" "5522081" "5560022" "5586333" "5603040" "5606704" "5640573").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 16:37
S12 3	47	blackout same mode and off same mode and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 16:41
S12 4	57	power adj loss same mode and power adj off same mode	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/05/08 16:41
S12 5	17	power adj loss same mode and power adj off same mode and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 16:46
S12 6	64	shut adj down same modes and display and power adj (loss failure) and power adj off	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 16:51
S12 7	12	shut adj down same power adj loss and shut adj down same power adj off	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 16:52
S12 8	12	shut adj down same power adj loss and shut adj down same power adj off	US-PGPUB; USPAT	OR	OFF	2006/05/08 16:52
S12 9	9	shut adj down same power adj loss and shut adj down same power adj off and display	US-PGPUB; USPAT	OR	OFF	2006/05/08 16:54
S13 0	24	shut adj down same power adj (loss failure) and shut adj down same power adj off and display	US-PGPUB; USPAT	OR	OFF	2006/05/08 16:55
S13 1	18	shut adj down same power adj failure and shut adj down same power adj off and display	US-PGPUB; USPAT	OR	OFF	2006/05/08 16:55
S13 2	3	("5247205" "6255744" "6314528").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:05
S13 3	2123	713/300.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:05

S13 4	361	713/300.ccls. and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:06
S13 5	3	713/300.ccls. and power adj . (failure loss) same shut adj down and power adj off same shut adj down	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:07
S13 6	32	713/300.ccls. and power adj (failure loss) and power adj off and modes	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:07
S13 7	56	713/300.ccls. and power adj (failure loss) and power adj off and mode\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:21
S13 8	0	(fast quick) near3 shutdown and regular near3 shutdown and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:22
S13 9	11	shutdown near6 power adj (loss failure) and (normal regular) near6 shutdown and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:25
S14 0	38	shutdown near6 power adj (loss failure) and (normal regular) near6 shutdown	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:25
S14 1	1	shutdown near6 power adj (loss failure) and (normal regular) near6 shutdown and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 17:25
S14 2	38	shutdown near6 power adj (loss failure) and (normal regular) near6 shutdown	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 17:27
S14 3	857	power adj off adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 17:27
S14 4	452	power adj off adj mode and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 17:27
S14 5	255	power adj off adj mode and (LCD "liquid crystal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 17:28

			· · ·	·		
S14 6	45	(first second) same power adj off adj mode and (LCD "liquid crystal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 17:30
S14 7	35	power adj off adj mode and (LCD "liquid crystal") and discharge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 17:30
S14 8	3	"6941479".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:13
S14 9	3	("5247205" "6255744" "6314528").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 14:14
S15 0	9504	display and power near3 loss	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 14:14
S15 1	1012	display and power near3 loss same mode	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 14:15
S15 2	188	display and power near3 loss same modes	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 14:15
S15 3	52	display and power near3 loss same modes and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 14:15
S15 4	303	display and power near3 loss same mode and discharge	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 14:15
S15 5	296	display and power near3 loss same mode and discharge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:15
S15 6	230	(LCD "liquid crystal") and discharg\$4 same power near3 loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:16
S15 7	75	(LCD "liquid crystal") and discharg\$4 same power near3 loss and modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:44

S15	271	(LCD "liquid crystal display") and	US-PGPUB;	OR	OFF	2006/05/26 14:44
8	2/1	residual and power near4 loss	USPAT; EPO; JPO; DERWENT; IBM_TDB		011	2000/03/20 14.44
S15 9	37	(LCD "liquid crystal display") and residual near3 (image charge) and power near4 loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:52
S16 0	2661	power near2 off same modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:52
S16 1	354	power near2 off same modes and display adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:52
S16 2	236	power near2 off same modes and display adj device and (LCD "liquid crystal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 15:58
S16 3	2641	power near2 loss same protect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 15:58
S16 4	522	power near2 loss same protect\$4 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 15:58
S16 5	170	power near2 loss same protect\$4 and display and modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 15:58
S16 6	53	power near2 loss same protect\$4 and display and modes and (LCD "liquid crystal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 16:40
S16 7	37	power near2 loss same protect\$4 and display and modes and (LCD "liquid crystal") and battery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 15:58

	_					
S16 8	2	"6536671".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 16:40
S16 9	8	("4621190" "5451762" "5634000" "5920726" "5987438").PN. OR ("6536671"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 16:40
S17 0		("5283792" "5359728" "5386552" "5475428" "5475441" "5477264" "5493335" "5560022" "5634000").PN. OR ("5920726"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 16:42
S17 1	1255	(power adj off power adj down) and battery and power near10 loss and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 08:16
S17 2	404	(power adj off power adj down) and battery and power near10 loss and display and power near10 modes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 08:16
S17 3	278	(power adj off power adj down) and battery and power near10 loss and display and power near10 modes and (LCD "liquid crystal")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 08:20
S17 4	628	power adj loss near10 protect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 08:20
S17 5	9	power adj loss near10 protect\$4 and power adj (down off) near4 mode\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 08:22
S17 6	105	power adj loss near10 protect\$4 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 08:22
S17 7	19	power adj loss near10 protect\$4 and display and discharge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/26 08:22

S17 8	7	("4287506" "4698557" "5043639" "5130615" "5345267" "5369341" "5729092").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:34
S17 9	5316	(LCD "liquid crystal") and discharge and protection	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:34
S18 0	12980	(LCD "liquid crystal") and discharge and protect\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:34
S18 1	536	(LCD "liquid crystal") and discharge and protect\$4 and power near4 loss	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:34
S18 2	226	(LCD "liquid crystal") and discharge and protect\$4 and power near4 loss and modes	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:34
S18 3	184	(LCD "liquid crystal") and discharge and protect\$4 and power near4 loss and modes and battery	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:42
S18 4	224	discharge and protect\$4 and power near4 loss and power near6 modes and battery	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:43
S18 5	184	discharge and protect\$4 and power near4 loss and power near6 modes and battery and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:45
S18 6	124	(speed duration length) near5 off same power adj loss	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:45
S18 7	7	(speed duration length) near5 off same power adj loss and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:48
S18 8	169	power adj loss near3 protect\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:48
S18 9	354	power adj loss near6 normal	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:48
S19 0	863	power adj (down off) near6 normal	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:48
S19 2	29794	power adj loss	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/06/26 08:49
S19 3	74	S190 and S192	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:49

S19 4	9	S190 and S192 and display	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:53
S19 5	191	display and (power adj off OR shutdown) near3 modes	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:54
S19 6	89	display and (power adj off OR shutdown) near3 modes and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:55
S19 7	6	display and (plural multiple) same (power adj off OR shutdown) near3 modes and (LCD "liquid crystal")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 08:54